

Binding, Laminating, Print Finishing Equipment & Supplies



KASFOLD 2000, 3000 and 5000 HCS

Modular Bookletmaking systems

KASFOLD BOOKLETMAKER OPTIONS

The KASFOLD range of Bookletmakers is designed to meet the requirements of the demanding user to provide years of service.

Standard features include automatic operation and double side jogging. There is a choice of models with either flat clench stapling or the safety staple formed in an anvil. The KASFOLD 5000HCS features 5000 capacity staple cassettes as well as 5 stapling positions, including one for corner stapling. The KASFOLD 3000 has the option of loop stapling. There is a modular single knife trimmer, to cut off the feathered edge, and a conveyor jogger interface to place a desk top collator inline.

Collator Interface

The KAS conveyor jogger interface conveys collated sheets from the collator to the bookletmaker and jogs before the stapling and folding sequence.

Trimmer

When making booklets a trimmer can be used with the KASFOLD. Each stapled and folded booklet is individually clamped and held flat before a single knife removes the feathered edge of the booklet.

Binding, Laminating, Print Finishing Equipment & Supplies

Kasfold with Booklet Trimmer



Kasfold Bookletmaker features:

- Sensors detect paper being inserted back into the machine and automatically start the bookletmaking cycle.
- Variable time control between paper insertion and stapling for operator convenience.
- Easily accessible for simple adjustment, without tools, of paper/ booklet size.
- Stapling heads have a capacity of 5000 sheets to facilitate longer, uninterrupted operation (5000 HCS).
- Kasfold 2000 – 2 Stapling positions
- Kasfold 3000 – 4 stapling positions, movable heads and a choice of clinchers or safety staple.
- Kasfold 5000HCS – 5 stapling positions, including one for corner stapling with clinchers for flat staples.
- Edge stapling.
- Side guides are set 15mm wider than the paper for easier/faster insertion both side guides move-in to jog the set before stapling.
- Drive motor shuts down if the bookletmaker is not used for a period of time and restarts when paper is placed under the stapling heads.
- A sensor detects when a staple cassette is out of staples and automatically stops the machine (5000HCS, 3000)
- Resetable counter.
- Integral conveyor/ stacker folds away when not in use, saving valuable space.
- Free standing design and castors for easy mobility and storage.
- Sturdy construction for years of service.

Binding, Laminating, Print Finishing Equipment & Supplies

SPECIFICATION	KASFOLD	KASFOLD	KASFOLD
	2000	3000	5000 HCS
Sheet size: width	148mm to 320mm	120mm to 320mm	148mm to 320mm
Sheet size: length	210mm to 450mm	210mm to 450mm	210mm to 450,,
Staple positions	2	4	5
Staple Type	Standard	Standard/ Loop	Standard
Staple cassette capacity	210	210	5000
Maximum number of sheets per booklet	25 @ 80gsm	25 @ 80gsm	22 @ 80gsm
Maximum number of booklets per hour	1740	1740	1740
Staple leg length	6mm & 8mm	6mm & 8mm	6mm
Staple head capacity	210	210	5000
Staple out sensor	No	Yes	Yes
Dimensions (L x W x H)	49 x 57 x 92cm	49 x 58 x 92cm	49 x 58 x 92cm
Conveyor folded	117 x 57 x 92cm	117 x 58 x 92cm	117 x 58 x 92cm
Conveyor extended			164 x 58 x 92cm
With trimmer	164 x 57 x 92cm	164 x 58 x 92cm	
Weight: Bookletmaker	91kg	95kg	95kg
Trimmer	88kg	88kg	88kg
Power	220-240V 50Hz Single Phase	220-240V 50Hz Single Phase	220-240V 50Hz Single Phase

- Specifications are subject to change without prior notice